

Time to **simplify** infection management

See how a clear, concise decision-making pathway and effective solutions could help your team transform outcomes and change lives.¹

Infection and biofilm strike can result in delayed healing, systemic infection and risk serious complications²⁻⁵. Discover a way to structure and simplify assessment and treatment decisions.

Smith+Nephew

Shaping 
what's possible
in wound care

Tailor your treatments for infection and biofilm

Act fast on infection

Not all silver dressings are the same. With unique nanocrystalline silver technology, ACTICOAT[®] Dressings are bactericidal in as little as 30 minutes*⁶⁻¹⁸ and remain active for up to 7 days.¹⁹⁻²¹

Remove barriers to healing

Biofilm calls for a different intervention. The IODOSORB Cadexomer Iodine Range offers up to 72 hours of broad-spectrum antimicrobial activity^{23,24} – shown to disrupt biofilms in vitro and in vivo.²⁵⁻³⁵

Take the route to more effective infection management¹



Download the infection management pathway here



*As demonstrated in vitro.

1. Dowsett, C, et al. Wounds Int. 2020. 2. Guest, J, et al. CATALYST Health Economics Consultants Ltd; UK. 2017. 3. Schultz, G, et al. Wound Repair Regen. 25, 744–757 (2017). 4. Malone, M, et al. J. Wound Care 26, 20–25 (2017). 5. Guest, J, et al. Int. Wound J. 15, 43–52 (2018). 6. Wright JB, et al. Am J Infect Control. 1998;26(6):572 - 577. 7. Wright JB, et al. Am J Infect Control. 1999;27(4):344 - 350. 8. Cuttle L, et al. Burns. 2007;33(6):701 - 707. 9. Smith+Nephew 2020. Internal report. EO.AWM.PCS105.001.v2. 10. Smith+Nephew 2020. Internal report. EO.AWM.PCS105.002.v2. 11. Smith+Nephew 2020. Internal report. EO.AWM.PCS105.003.v2. 12. Smith+Nephew 2020. Internal report. EO.AWM.PCS105.004.v2. 13. Gago M, et al. Wounds. 2008;20(10):273 - 278. 14. Demling RH, et al. Burns. 2002;28(3):264 - 266. 15. Smith+Nephew 2008. Internal report. DOF 0810018. 16. Smith+Nephew 2008. Internal report. DOF 0810014. 17. Yin HQ, et al. J Burn Care Rehabil. 1999;20(3):195 - 200. 18. Wright JB, et al. Wounds. 1998;10(6):179 - 188. 19. Smith+Nephew 2008. Internal Report. DS/08/062/R1. 20. Westaim Biomedical 2000. Internal Report. 001213. 21. Westaim Biomedical 2001. Internal Report. 010322. 22. Hartill D, Styche T. Impact of the introduction of a nanocrystalline silver dressing for wound infection across a clinical commissioning group in the UK. Poster presented at Wounds UK Annual Conference 2020 Virtual. 9–11 November 2020; Harrogate, UK. 23. Smith + Nephew 2018. Internal Report. 1801001. 24. Smith & Nephew 2018. Internal Report. 1801002. 25. Fitzgerald DJ, et al. Wound Repair Regen. 2017;25(1):13-24. 26. Smith & Nephew 2008. Internal Report. 0804007. 27. Roche ED, et al. Int Wound J. 2019;1-10 [in press]. 28. Phillips PL, et al. Int Wound J. 2015;12(4):469-483. 29. Schultz G, et al. Microbicide Effects of Three Daily Treatments of a Carboxymethylcellulose Silver Dressing or a Cadexomer Iodine on Mature Bactericidal Biofilms Grown on Pig Skin Explants. 2016; Florence. 30. Schultz G, et al. Wound Repair Regen. 2017;25(5):744-757. 31. Lantis JC. Cadexomer Iodine on a biofilm in diabetic foot ulcers: A Pilot study. Paper presented at: WUWHS; 2016; Florence. 32. Oates JL, et al. Effect of a Cadexomer Iodine Wound Dressing on a Chronic Wound Multi-Species Biofilm Model with Comparison to a Silver Hydrofiber Antibiofilm Dressing. Paper presented at: SWC; 2016; Las Vegas, USA. 33. Malone M, et al. J Antimicrob Chemother. 2017;72(7):2093-2101. 34. Forrest EC, et al. Cadexomer Iodine delivers rapid and sustained broad spectrum antimicrobial activity and substantial biofilm disruption and kill in a clinically relevant wound model. Paper presented at: EWMA; 2019; Gothenburg, Sweden. 35. Akiyama H, Oono T, et al. The Journal of Dermatology. 2004;31:529-534. 36. Woo K, et al. Int Wound J. 2021;[Epub ahead of print].

For detailed product information, including indications for use, contraindications, precautions and warnings, please consult the product's applicable Instructions for Use (IFU) prior to use. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Smith+Nephew representative or distributor if you have questions about the availability of Smith+Nephew products in your area.