



Make Every Day Count with Faster Healing for Infected Wounds

Biatain® Silicone Ag has demonstrated the highest accumulated sustained silver release among competitors starting from 37 hours after application and up to 168 hours (7 days).^{1,2}

Accumulated Silver Release



■ Biatain® Silicone Ag ■ Mepilex® Border Ag ■ Allevyn® Ag Gentle Border
■ Biatain® Ag Non-Adhesive ■ Mepilex® Ag ■ AQUACEL® Ag



1. Leeper D et al. The use of Biatain Ag in hard-to-heal venous leg ulcers: Meta-analysis of randomised controlled trials. PLOS ONE 2013, 8(7)
 2. Burger C et al, Silver release profile and antibacterial effect of a new silver foam dressing with silicone adhesive. WMA 2015, London, UK.

Brief Statement: Indications: Biatain Silicone Ag Foam Dressings are sterile, single use, antibacterial polyurethane foam dressings with ionic silver as an active component intended for moist wound healing and exudate management. The product is indicated for use in a wide range of exuding wounds including leg ulcers, pressure ulcers, and diabetic foot ulcers with delayed healing due to bacteria, or where there is a risk of infection. The product may also be used for second degree burns, donor sites, postoperative wounds, and skin abrasions with delayed healing due to bacteria, or where there is a risk of infection and on patients who are in treatment for a local or systemic infection under the discretion of a health care professional. Biatain Silicone Ag Foam Dressings are suitable for use in combination with compression therapy. Biatain Silicone Ag Foam Dressings may reduce odour caused by micro-organisms in the wound; may be left in place for up to 7 days depending on the amount of exudate, dressing conditions, and type of wound; and may be used throughout the healing process to provide protection for the indicated types of wounds. **Warning:** Re-use of the single use product may create a potential harm to the user. Reprocessing, washing, disinfection, and sterilization may compromise product characteristics, causing additional risk of physical harm to or infection of the user. The risk information provided here is not comprehensive. See the device manual for detailed information regarding complete instructions, contraindications.