




Make Every Day Count with Faster Healing for Infected Wounds

Biatain[®] Silicone Ag has demonstrated the highest accumulated sustained silver release among competitors starting from 37 hours after application and up to 168 hours (7 days).^{1,2}



brief statement: Interactions: beam instruction and beam breasings are stelled, single use, antibacterian polynetinal locar breasings with onlocations since as an active component interface for moist would inclain grade studies man algebrain. The product is indicated for use in a wide range of exucting wounds including leg uicers, pressure uicers, and diabetic foot uicers with delayed healing due to bacteria, or where there is a risk of infection. The product is an active component interface for moist would includies man algebrain to exuct as the source of the state of the second degree burns, donor sites, postoperative wounds, and skin abrasions with delayed healing due to bacteria, or where there is a risk of infection and on patients who are in treatment for a local or systemic infection. The product may also be bacteria, or where there is a risk of infection and on patients who are in treatment for a local or systemic infection. The product may also be bacteria, or where there as fails of infection and on patients who are in treatment for a local or systemic infection. The product may also be used for second active as a site of infection and on patients who are in treatment for a local or systemic infection. The product may also be used for use of there is a risk of infection and on patients who are in treatment for a local or systemic infection. The product may also be used for use of a patient altion and componies product and may be used throughout the healing process to provide protection for the indicated types of wounds. Warning: Re-use of the single use product may create a potential harm to the user. Reprocessing, washing, disinfection, and stellization may compromise product characteristics, causing additional risk of physical harm to or infection of the user. The risk information provided here is not comprehensive. See the device manual for detailed information regarding complete instructions, contraindications.

Coloplast Canada Corporation 3300 Ridgeway Drive, Unit 12, Mississauga, Ontario, LEL 529, Canada. www.coloplast.ca The Coloplast logo is a registered trademark of Coloplast A/S. © 2016-03 All rights respective owners.